



HIV IN THE EASTERN REGION: AN EPIDEMIOLOGICAL PROFILE

EASTERN RAC MEETING MAY 21, 2013

Colin Flynn, Chief
HIV Surveillance, Epidemiology and Evaluation

Maryland Department of Health and Mental Hygiene Prevention and Health Promotion Administration



MISSION AND VISION



MISSION

• The mission of the Prevention and Health Promotion Administration is to protect, promote and improve the health and well-being of all Marylanders and their families through provision of public health leadership and through community-based public health efforts in partnership with local health departments, providers, community based organizations, and public and private sector agencies, giving special attention to at-risk and vulnerable populations.

VISION

 The Prevention and Health Promotion Administration envisions a future in which all Marylanders and their families enjoy optimal health and well-being.





National Data



U.S. HIV/AIDS Prevalence



 At the end of 2009, an estimated 1.1 million adult Americans were infected with HIV

- It is also estimated that 18% of the infected were undiagnosed
 - CDC. HIV Surveillance Supplemental Report.
 2012; 17(No. 3, part A). Atlanta.



Estimated HIV Diagnoses during 2011, Ranked by Rates



STATE/TERRITORY	<u>Cases</u>	Rate per 100,000
 District of Columbia 	962	155.6
2. Virgin Islands	35	33.0
3. Maryland	1,783	30.6
4. Louisiana	1,381	30.2
5. Florida	5,408	28.4
6. Georgia	2,522	25.7
7. New York	4,960	25.5
8. Puerto Rico	888	24.0
9. Mississippi	617	20.7
10. Texas	5,065	19.7
United States	50,199	15.9



Estimated Adults Living with Diagnosed HIV, year-end 2010,



	Rank	red	by	Rates
--	------	-----	----	-------

STATE/TERRITORY	<u>Cases</u>	Rate per 100,000
 District of Columbia 	14,359	2,704.3
2. New York	132,523	810.0
3. Virgin Islands	589	667.1
4. Maryland	30,558	632.9
5. Florida	94,897	592.7
6. Puerto Rico	18,129	584.3
7. New Jersey	35,860	488.2
8. Louisiana	16,892	451.7
9. Georgia	33,920	428.8
10. Delaware	2,968	394.1
United States	888,638	342.2

CDC. HIV Surveillance Report, 2011. Vol. 23. Table 21.



Estimated HIV Diagnoses during 2011, Ranked by Rates



METROPOLITAN AREA	<u>Cases</u>	Rate per 100,000
1. Miami, FL	2,606	46.0
2. New Orleans-Metairie-Kenner, LA	513	43.0
3. Baton Rouge, LA	336	41.6
4. Jackson, MS	200	36.7
5. Washington, DC-VA-MD-WV	1,969	34.5
6. Baltimore-Towson, MD	922	33.8
7. Memphis, TN-MS-AR	433	32.6
8. Atlanta-Sandy Springs-Marietta, GA	1,626	30.3
9. New York, NY-NJ-PA	5,344	28.1
10. Jacksonville, FL	382	28.1
United States	50,161	15.9



Estimated Persons Living with Diagnosed HIV, year-end 2010, Ranked by Rates



METROPOLITAN AREA	<u>Cases</u>	Rate per 100,000
1. Miami, FL	49,045	879.3
2. New York, NY-NJ-PA	143,393	757.9
3. Baltimore-Towson, MD	18,318	674.8
4. New Orleans-Metairie-Kenner, LA	7,380	620.2
5. Jackson, MS	3,018	558.8
6. San Francisco, CA	23,829	548.6
7. Memphis, TN-MS-AR	7,191	545.6
8. Washington, DC-VA-MD-WV	30,797	549.0
9. San Juan-Caguas-Guaynabo, PR	13,026	525.9
10. Baton Rouge, LA	4,009	498.3
United States	891,157	284.7






State Data



Maryland Living HIV Cases







Maryland Adult/Adolescent HIV/AIDS Statistics

N I a

nor 100 000




Reported Diagnoses (during 201)	I) NO.	per 100,000	
HIV	1,311	26.9	
AIDS	759	15.6	
Living Cases (on 12/31/11)	No.	per 100,000	1 in X
HIV without AIDS	12,162	249.8	
HIV with AIDS	15,548	319.3	
Total HIV	27,710	569.1	175

Departed Diagnosco (during 2011)



Maryland Regional Advisory Committee Regions








Maryland Living Adult/ Adolescent HIV Cases by Region, 12/31/11










Regional Data



HIV/AIDS Trends Eastern Region





Year of Diagnosis or Death


★Reported HIV Diagnoses **→**Reported AIDS Diagnoses **→**Reported AIDS Deaths



Living HIV Cases Eastern Region







Living HIV Cases without AIDS

Living HIV Cases with AIDS



HIV Statistics Adult/Adolescent Cases, Eastern Region




	Reported HIV Diagnoses during 2011	Living HIV Cases on 12/31/2011
Eastern Region	50	707
Caroline	6	58
Cecil	6	101
Dorchester	8	105
Kent	2	31
Queen Anne's	3	46
Somerset	3	45
Talbot	5	54
Wicomico	11	189
Worcester	6	78



Eastern Region Living Adult/Adolescent HIV Cases by County, 12/31/11









Living Adult/Adolescent HIV Cases Rates per 100,000 Population by County, Eastern Region, 12/31/11








Adult/Adolescent Population and Living HIV Cases by Sex at Birth Eastern Region






Reported Adult/Adolescent HIV Diagnosis Trends by Sex at Birth, Eastern Region





Adult/Adolescent Population and Living HIV Cases by Race/ Ethnicity, Eastern Region




Population on 4/1/10, Cases on 12/31/10 as reported through 12/31/11



Reported Adult/Adolescent HIV Diagnosis Trends by Race/ Ethnicity, Eastern Region








Population and Living HIV Cases by Age, Eastern Region








Reported Adult/Adolescent HIV Diagnosis Trends by Age at Diagnosis, Eastern Region







Exposure Categories



MSM: Men who have Sex with Men

IDU: Injection Drug Use


MSM/IDU: Men who have Sex with Men AND Inject Drugs

HetSex: Heterosexual Contact with a Person that has or is at Risk for HIV Infection



Living Adult/Adolescent HIV Cases 12/31/11 by Exposure Category, Eastern Region







Living Adult/Adolescent HIV Cases 12/31/12 by Exposure Category and Sex at Birth Eastern Region








Reported Adult/Adolescent HIV Diagnoses, Exposure Category Trends, Eastern Region







National HIV/AIDS Strategy



Goals:

- Reducing HIV incidence
- Increasing access to care and optimizing health outcomes
- Reducing HIV-related health disparities
- Achieving a more coordinated national response




Continuum of Care



Estimated number and percentage of HIV infected adults engaged in selected stages of the continuum of care,

Eastern Maryland, 2011





HIV Statistics Adult/Adolescent Cases Eastern Region



	Reported HIV Diagnoses during 2011	Linked to Care within 3 months of Diagnosis	Living HIV Cases on 12/31/2011	Retained in Care	Viral Suppression
Eastern	50	68.0%	707	39.2%	22.2%
Caroline	6	66.7%	58	37.9%	19.0%
Cecil	6	50.0%	101	29.7%	10.9%
Dorchester	8	37.5%	105	42.9%	27.6%
Kent	2	100.0%	31	25.8%	12.9%
Queen Anne's	3	100.0%	46	56.5%	23.9%
Somerset	3	66.7%	45	35.6%	20.0%
Talbot	5	60.0%	54	38.9%	22.2%
Wicomico	11	90.9%	189	40.2%	25.9%
Worcester	6	66.7%	78	42.3%	26.9% Maryland Preve

Health Promotion Administration May 21, 2013





Regional Summary



HIV/AIDS in the Eastern Region



- There were 707 living adult/adolescent HIV cases at the end of 2011
- There were 50 reported adult/adolescent HIV diagnoses during 2011
- Wicomico, Dorchester, and Cecil counties had the greatest share of living cases (27%, 15%, and 14%)
- Rates of living cases were higher than the Eastern Region average in Dorchester



HIV/AIDS in the Eastern Region: Demographics



- Males were disproportionately affected (66% of cases vs. 49% of population), and the proportion male was increasing
- Non-Hispanic blacks were disproportionately affected (57% vs. 16%), but the proportion non-Hispanic black was increasing while the proportion non-Hispanic white was decreasing
- Persons 30-59 years old were disproportionately affected (78% vs. 40%), but the proportions were increasing among 30-39 year olds



HIV/AIDS in the Eastern Region: Exposure Category



- Sexual transmission predominates (>79%)
 - Homosexual and heterosexual transmission among men
 - Heterosexual transmission among women
 - Male homosexual transmission proportion was increasing
- Injection drug use is an important route of transmission (>18%), and the proportion IDU was declining





Maryland Prevention and Health Promotion Administration

http://phpa.dhmh.maryland.gov/oideor/chse